


## Horizontal Split Case Fire Pump Series 4600F - 60 Hz

Water-Based Fire Suppression System

### SOLUTION OUTLINE

FILE NO: F46.11  
DATE: DECEMBER 2022

SUPERSEDES: F46.11  
DATE: FEBRUARY 2022



**T**he Armstrong Series 4600F represents the state of the art in Horizontal Split Case pumps, meeting or exceeding the requirements of NFPA as well as fire protection testing laboratories such as UL, ULC and FM.

The compact pump design and reduced footprint make the 4600F perfectly suited for use in new construction, packaged fire systems and retrofit installations.

### **SAVES INSTALLATION COSTS AND LIFECYCLE COSTS**

Industry-leading, high-efficiency pump designs require smaller driver selections, which in turn require smaller controllers. Smaller drivers and controllers draw less power, so they can be supported by lower-rated electrical components. All these factors contribute to reduced equipment cost.


At critical duties Armstrong hsc 4600 models installed offer cost savings of up to 20%.

**HIGH EFFICIENCY >**

**SMALLER DRIVER >**

**LOWER INSTALLED COST**

**SMALLER DRIVER >**  
**SMALLER CONTROLLER >**  
**LOWER INSTALLED COST**



## DURABILITY

Oversized stainless steel shaft is rated for minimum 5000 run hours

---

Double suction impeller prevents wear due to imbalanced flow

---

Sealed, permanently-greased bearings prevent seizing

---

Externally mounted combination bearing and seal housing minimizes shaft deflection

## EASY MAINTENANCE

Fitted with drain connection for drip containment

---

Replaceable case wear rings – locked to prevent rotation or axial displacement

---

Hydraulically balanced double suction impeller minimizes axial thrust

---

Three-piece split gland shaft sealing


---

Replaceable shaft sleeves


# ARMSTRONG HSC 4600F FIRE PUMPS – 60Hz

## Performance Selection Chart


■ 1800 rpm   
 ■ 3600 rpm   
 ■ Coming soon  
 Also available with diesel drive at various speeds



Web-based sizing and selection software makes it easy to choose the Armstrong fire pump that's right for your building project. All supporting literature, performance curves, 3D CAD files and Revit models are available for download.



# CONTRACTOR FRIENDLY



**T**he contractor-friendly design approach means easy access for repair, easy replacement of bearings, and flexibility on installation. If needed, the pump can be reversed from the left-hand to right-hand drive at the site.

The innovative 3-piece gland seal packing design means that the packing can be changed without removing the rotating assembly

The Armstrong 4600F leads the industry with its Tilted-parting casing design that places suction and discharge on the same center line. This makes it easy for contractors to install piping in advance of the pump delivery, which can compress construction schedules and reduce labor.

The pump shafts and all related parts are identical for left and right-hand drive configurations. This means the 4600F can be reconfigured on-site to rotate in the opposite direction, if needed.

Lastly, with a small overall footprint, there's plenty of space around the pump to make installation, commissioning and maintenance easier.

**Contractors can save time and minimize costs with features that reduce maintenance**

Tilted-parting casing design – rotating element can be removed without disturbing piping

Ergonomic design of stuffing box extension

Removable bearing housing – without removing top casing

Readily available spare parts kits

**TORONTO**

23 BERTRAND AVENUE,  
TORONTO, ONTARIO,  
CANADA, M1L 2P3  
+1 416 755 2291

**BUFFALO**

93 EAST AVENUE, NORTH  
TONAWANDA, NEW YORK,  
U.S.A., 14120-6594  
+1 716 693 8813

**DROITWICH SPA**

POINTON WAY, STONEBRIDGE CROSS  
BUSINESS PARK, DROITWICH SPA,  
WORCESTERSHIRE,  
UNITED KINGDOM, WR9 0LW  
+44 121 550 5333

**MANCHESTER**

WOLVERTON STREET, MANCHESTER  
UNITED KINGDOM, M11 2ET  
+44 161 223 2223

**BANGALORE**

#18, LEWIS WORKSPACE, 3<sup>RD</sup> FLOOR,  
OFF MILLERS - NANDIDURGA ROAD,  
JAYAMAHAL CBD, BENSON TOWN,  
BANGALORE, INDIA 560 046  
+91 80 4906 3555

**SHANGHAI**

UNIT 903, 888 NORTH SICHUAN RD.  
HONGKOU DISTRICT, SHANGHAI  
CHINA, 200085  
+86 21 5237 0909

**BEIJING**

ROOM 1612, NANYIN BUILDING NO.2  
NORTH EAST THRID RING ROAD  
CHAOYANG DISTRICT, BEIJING,  
CHINA 100027  
+86 21 5237 0909

**SÃO PAULO**

RUA JOSÉ SEMIÃO RODRIGUES  
AGOSTINHO, 1370 GALPÃO 6 EMBU  
DAS ARTES, SAO PAULO, BRAZIL  
+55 11 4785 1330

**LYON**

93 RUE DE LA VILLETTE  
LYON, 69003 FRANCE  
+33 4 26 83 78 74

**DUBAI**

JAFZA VIEW 19, OFFICE 402  
P.O. BOX 18226 JAFZA,  
DUBAI - UNITED ARAB EMIRATES  
+971 4 887 6775

**JIMBOLIA**

STR CALEA MOTILOR NR. 2C  
JIMBOLIA 305400, JUD.TIMIS  
ROMANIA  
+40 256 360 030

For more information on  
Armstrong Fire Pumps please  
contact your local Armstrong  
representative or visit our  
website at:  
[ArmstrongFluidTechnology.com](http://ArmstrongFluidTechnology.com)

ARMSTRONG FLUID TECHNOLOGY®  
ESTABLISHED 1934

ARMSTRONGFLUIDTECHNOLOGY.COM

