



EXCHANGER SIZE	DIMENSIONS											
	A		B		C		D		N1		N2	
	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm
WSX-42-4E4	41 3/4	1060	23 1/4	591	16	406	27	686	2	51	1	25
WSX-43-4E4	53 3/4	1365	35 1/4	895	28	711	39	991	2	51	1	25
WSX-44-4E4	65 3/4	1670	47 1/4	1200	40	1016	51	1295	2	51	1	25
WSX-45-4E4	77 3/4	1975	59 1/4	1505	52	1321	63	1600	2 1/2	64	1 1/4	32
WSX-46-4E4	89 3/4	2280	71 1/4	1810	64	1626	75	1905	2 1/2	64	1 1/4	32
WSX-47-4E4	101 3/4	2584	83 1/4	2115	76	1930	87	2210	2 1/2	64	1 1/4	32
WSX-48-4E4	113 3/4	2889	95 1/4	2419	88	2235	99	2515	2 1/2	64	1 1/4	32
WSX-49-4E4	125 3/4	3194	107 1/4	2724	100	2540	111	2819	2 1/2	64	1 1/4	32
WSX-410-4E4	137 3/4	3499	119 1/4	3029	112	2845	123	3124	2 1/2	64	1 1/4	32
WSX-411-4E4	149 3/4	3804	131 1/4	3334	124	3150	135	3429	2 1/2	64	1 1/4	32
WSX-412-4E4	161 3/4	4108	143 1/4	3639	136	3454	147	3733	2 1/2	64	1 1/4	32

NOZZLE SCHEDULE				
SERVICE	MARK	SHELL SIDE	MARK	TUBE SIDE
INLET	(N1)	AS PER TABLE	(N5)	1 (25) FLG
OUTLET	(N2)	AS PER TABLE	(N6)	1 (25) FLG
DRAIN			(N7)	1/2 (13) NPT
VENT	(N4)	3/4 (19) NPT		

NOTES: 1. SUPPORTS SUPPLIED ONLY IF SPECIFIED ON ORDER.
 2. NOZZLE SIZES SHOWN ARE RECOMMENDED FOR MAXIMUM EXCHANGER LIFE.
 3. FABRICATED TO ASME CODE SECTION VIII DIVISION 1 AND LATEST ADDENDA.
 4. DRAWING IS NOT TO SCALE.
 5. ALL DIM'S $\pm 1/8$ (3) UNLESS OTHERWISE SHOWN.

DESIGN CONDITIONS				
	SHELL		TUBES	
DESIGN PRESSURE	150 PSIG	1034 KPa	150 PSIG	1034 KPa
DESIGN TEMPERATURE	375 °F	191 °C	375 °F	191 °C
MIN. DESIGN METAL TEMP.	35 °F	1.7 °C	35 °F	1.7 °C
HYDRO. TEST PRESSURE	225 PSIG	1551 KPa	225 PSIG	1551 KPa
CONTENTS	STEAM		WATER	

CUSTOMER:
 LOCATION:
 ENGINEER:
 ORDER No.:
 PROJECT/JOB:
 LOCATION:
 TAG: (QUOTE #)

TITLE	G.A. 150 LB. WSX SERIES HEAT EXCHANGERS	A R M S T R O N G				NUMBER	WSX-4-4P-E4	REV.	
DATE:	12 / 01 / 94	BY:	D.C.R.	TORONTO - CANADA	MONTREAL - CANADA	BUFFALO - N. Y.	COLCHESTER - U.K.		
				TEL : (416) 755-2291	TEL : (514) 421-2424	TEL: (716) 693-8813	TEL: (44) 120-657-9491		